



**ACE CATHTECH**  
*Quality is key*

# TRANSFORMING **HEALTHCARE** IN EVERY DIRECTION




NEPHROLOGY PRODUCTS  
CARDIAC SURGERY PRODUCTS  
ANESTHESIA PRODUCTS  
CRITICAL CARE PRODUCTS  
CARDIOLOGY PRODUCTS  
GENERAL SURGERY PRODUCTS

PRODUCT  
**CATALOGUE 2024**

# ANESTHESIA



# ANCILLARY PRODUCTS



## FEATURES


APMLC – 04 to APMLC – 100

- Pressure Monitoring Lines.
- Choice of length from 4" to 100".
- Choice of color – Red, Blue, Yellow & Transparent
- Minimum Priming Volume – ID 1.27 mm x OD 2.79 mm.
- Pediatric Pressure Monitoring Lines
- Low Prime Lines/3-way extension.
- Crystal clear transparent channel.
- Pressure holds up to 4.5( 65 PSI).
- 6% tapper connection to ensure leakproof.
- Arrow indication towards the direction of flow.
- Extension tube dia ID 3.0 MM OD 4.1 MM.
- Extension Lines (with or without stopcock)
- DEHP free tubing.

## MULTIPLE EXTENSION WITH NEEDLE VALVES

- Multiple Extension
- Needle Valves

## BURETTE SET



## MEASURED VOLUME FLUID ADMINISTRATION SET

- Transparent, soft, cylindrical & calibrated measured volume chamber with bold marking scale
- Bacteria retentive air inlet
- injection port for intermittent medication
- An automatic shut-off valve prevents air trapping in the fluid line once the measured volume chamber is empty, and it also indicates the level of liquid
- 15u fluid filter to reduce particulate matter
- Approximately 60 drops/ml
- Soft and kink-resistant PVC tubing
- Standard tube length: 150 cm
- Tube dia: I Ø 3.0 mm & O Ø 4.1 mm
- Available in size: 100 mL, 120 mL, 150 mL
- Luer lock or rotating luer lock
- Designed for multiple injections

## I.V SET



### FEATURES

AIVS – V01

- I.V. Infusion set with air vent and integrated three-way stop cock
- Approximately 20 drops/ml
- With Long Drip Chamber

## I.V. FLOW REGULATOR EXTENSION SET



## FEATURES

AFR – Y01

- Precise flow rate control of IV fluids with a range of 5 to 250 ml/hr
- With "Y" injection port (Latex or Latex-free) for intermittent medication
- Also available with thumb support "Y" injection port and Needle-free "Y" site
- Soft & kink resistance PVC tubing
- Male Luer connector at one end and female Luer connector at another end
- Standard tube length: 20 cm without "Y" site & 40 cm with "Y" site
- Tube dia: I Ø 3.0 mm, O Ø 4.1 mm

## INVASIVE BLOOD PRESSURE TRANSDUCER



## FEATURES

- Integrated unit of clinical accuracy.
- Dual Mode of flushing: Controlled squeeze & Snap-tab.
- Completely transparent for ease of priming and debubbling.
- Available with flushing of 3cc/hr, 30cc/hr, or without flush.
- Easy Zeroing.

# PRESSURE MONITORING KITS



## FEATURES

- Choice of standard Single, Double, and Triple kits.
- Custom Design kit as per user specifications and requirements.
- Option of Closed-loop blood sampling kit available including needleless sampling site.
- DEHP Free tubing.
- Contact for non-obligatory schematic design / samples.

## ***SCHEMATIC DESIGN OF***

- APMK-S01A (Standard Single Kit)
- APMK-D03A (Standard Double Kit)
- APMK-T05A (Standard Triple Kit)

## ***ORDERING INFORMATION:-***

**APMK-S01A (Standard Single Kit) APMK-D03A (Standard Double Kit) APMK-T05A (Standard Triple Kit)**

- Single Kit with 1 Sampling Device
- Double Kit with 2 Sampling Devices

## ***TRANSDUCER***

- Disposable Pressure Transducers with 3cc
- Flush Disposable Pressure Transducers 30cc flush
- Disposable Pressure Transducers ( No flush )

## ***ACCESSORIES:-***

- Pole Mount
- Base Plate



## OUR SPECIALITIES:-

NEPHROLOGY PRODUCTS  
CARDIAC SURGERY PRODUCTS  
ANESTHESIA PRODUCTS  
CRITICAL CARE PRODUCTS  
CARDIOLOGY PRODUCTS  
GENERAL SURGERY PRODUCTS



## ADDRESS:-

PLOT NO 232, SECTOR 68, IMT MAIN  
RD, INDUSTRIAL AREA, BALLABHGARH,  
FARIDABAD, HARYANA 121004